



EPD DFS-891™ **Low Voltage Switchboards** Designed, listed and built to UL-891

EPD DFS-891™ LV Switchboards are designed with the highest standard of quality in mind. Built to last, you can be rest assured that our low voltage switchboards are reliable, durable, and ready to meet your needs. Our switchboards include power metering and communication capabilities for more reliable and safer systems. Standard and custom options are available to serve as the perfect solution for your project.

EPD Promise


EPD has vast experience acquired from working in many different industries and countries. We understand how system applications work – the technological subtleties of what and why things need to be implemented for a power system to perform reliably at optimum levels. You can trust EPD to deliver services on-time, within budget and to the highest possible standard and reliability.

Features and Benefits

- Designed, listed and built to UL-891
- Applicable industry safety standards CSA C22.2
- Voltage up to 600VAC/250VDC
- Ampacity up to 5000 A
- Short circuit ratings from 50kAIC to 200kAIC
- Air circuit breaker cubicles from 1200A to 5000A
- Molded case circuit breaker feeders from 100 to 2500A
- Type 1 or 3R NEMA enclosures
- Very high interrupting ratings up to 200kA
- Suitable for service entrance or distribution
- Fast installation and mounting options
- Engineered to order feature-rich switchboards
- Shorter lead times based on modular switchboard designs

Innovative Solutions

Our EPD DFS-891™ product line features design innovations that allow for a easier installation and maintainability, making them readily available to meet your needs. Our low voltage switchboards provide flexibility in developing the best solution for your project as well as making it easy for future expansion.



The image shows a tall, grey EPD DFS-891 low voltage switchboard. It features a central control panel with a digital display and buttons. The switchboard is divided into several sections, with a large central compartment containing a main horizontal bus and a vertical bus. The top and bottom sections have ventilation grilles. Callouts with icons point to various features: a gear icon for enclosure types, a lightning bolt for bus capacity, a globe for nationwide availability, a bar chart for energy maintenance settings, and a shield for surge protective devices.

- Type 1 or Type 3R enclosures available
- Flexible control-space configuration
- Up to 5000A main horizontal bus & up to 3000A vertical bus
- Major components available nationwide
- Energy maintenance reduction settings
- Surge protective devices (SPD)

Connect with us

 @Electronic Power Design  @ElectronicPowerDesign
 @epd_houston  @ElectronicPowerDesign

15200 North Freeway
Houston, Texas 77090
(713) 923-1191
ElectronicPowerDesign.com

